

Author index

Volume 97 (1999)

-
- | | | |
|-------------------------------|-----------------------------|----------------------------------|
| Antunes-Madeira, M.C. 97, 139 | Govseeva, N.M. 97, 49 | Patrón-Gallardo, B. 97, 119 |
| Asai, Y. 97, 93 | Gulaya, N.M. 97, 49 | Puisieux, F. 97, 1 |
| Barauskas, J. 97, 167 | Gustafsson, J. 97, 1 | |
| Brezesinski, G. 97, 129 | | Razumas, V. 97, 167 |
| | Hamilton, J.T.G. 97, 41 | Restituyo, J.A. 97, 87 |
| | Harper, D.B. 97, 41 | Robertson, G.W. 97, 27 |
| Carballeira, N.M. 97, 87 | | Roedig-Penman, A. 97, 79 |
| Carmona, P. 97, 119 | Itabashi, Y. 97, 27 | Rosseneu, M. 97, 65 |
| Caster, H. 97, 65 | Iwamoto, K. 97, 93 | |
| Caswell, D.C. 97, 155 | | Sebedio, J.L. 97, 105 |
| Christie, W.W. 97, 27, 41 | Johnsson, M. 97, 15 | Silvander, M. 97, 15 |
| | | Sostre, A. 97, 87 |
| Dahim, M. 97, 1 | Kirsch, C. 97, 129 | |
| Davis, A.L. 97, 155 | Klinger, R. 97, 129 | Taveirne, J. 97, 65 |
| Dergunov, A.D. 97, 65 | Kuzmenko, A.I. 97, 49 | |
| DeWolf, C. 97, 129 | | van der Hijden, H.T.W.M. 97, 181 |
| Dijkman, R. 97, 181 | Leporatti, S. 97, 129 | Vanloo, B. 97, 65 |
| Dobretsov, G.E. 97, 65 | López-Rodríguez, G. 97, 119 | van Schaick, M.A. 97, 181 |
| Dobson, G. 97, 27, 105 | | Verheij, H.M. 97, 181 |
| | Madeira, V.M.C. 97, 139 | Videira, R.A. 97, 139 |
| Edwards, K. 97, 15 | Margitich, V.M. 97, 49 | |
| Egmond, M.R. 97, 181 | Mc Neill, G.P. 97, 155 | Watanabe, S. 97, 93 |
| | Melnichuk, S.D. 97, 49 | |
| Flipsen, J.A.C. 97, 181 | Min, X. 97, 55 | Yang, F. 97, 55 |
| Fraile, M.V. 97, 119 | | Zhang, X. 97, 55 |
| | Nylander, T. 97, 167 | Zhukov, A.D. 97, 49 |
| Gordon, M.H. 97, 79 | Ollivon, M. 97, 1 | |
| Goridko, T.M. 97, 49 | | |

CPA
Certified Public Accountant
The American Institute of Certified Public Accountants
1111 Market Street, N.Y. 10020

Subject index

Volume 97 (1999)

- Activity**; SR Ca^{2+} -ATPase; PC; PE; Conformation 97, 55
- Aggregates**; Lipid A; Structure; Membrane; Molecular weight 97, 93
- Antioxidant**; Flavonols; Liposomes; Myricetin; Quercetin 97, 79
- Apolipoprotein**; *cis*-Parinaric acid; High density lipoproteins; Non-radiative energy transfer; Protein-lipid interactions; *trans*-Parinaric acid 97, 65
- Bacteria**; 9-Methyl-10-hexadecenoic acid; *Vibrio alginolyticus*; Synthesis 97, 87
- Brewster angle microscopy**; Phosphatidylinositol/phosphatidylcholine mixtures; Phase separation; Grazing incidence X-ray diffraction; Scanning force microscopy 97, 129
- Chemiluminescence**; *N*-acylethanolamines; Lipid peroxidation; Hypoxia; Free radicals 97, 49
- Cholesterol**; Ethylazinosphos; Phase separation; Fluorescent probes 97, 139
- Cholesteryl linoleate**; Infrared spectroscopy; Dipalmitoylphosphatidylcholine; Phase behaviour 97, 119
- cis*-Parinaric acid; Apolipoprotein; High density lipoproteins; Non-radiative energy transfer; Protein-lipid interactions; *trans*-Parinaric acid 97, 65
- ^{13}C NMR; ^1H NMR; 2D NMR; Conjugated linoleic acid 97, 155
- Conformation**; SR Ca^{2+} -ATPase; PC; PE; Activity 97, 55
- Conjugated linoleic acid**; ^{13}C NMR; ^1H NMR; 2D NMR 97, 155
- Cutinase**; Interfacial tension; Hydrolysis 97, 181
- Cyclic fatty acids**; Evening primrose oil; Frying oils; γ -linolenic acid; Gas chromatography; High-performance liquid chromatography; Mass spectrometry; Silver ion chromatography 97, 105
- Diacylglycerol**; Liquid chromatography-mass spectrometry (LC-MS); Molecular species; Nicotinate; Particle-beam mass spectrometry 97, 27
- Dichapetalum toxicarium*; Mass spectrometry; 4,4-Dimethyloxazoline 97, 41
- 4,4-Dimethyloxazoline**; Mass spectrometry; *Dichapetalum toxicarium* 97, 41
- Dipalmitoylphosphatidylcholine**; Infrared spectroscopy; Cholesteryl linoleate; Phase behaviour 97, 119
- 2D NMR**; ^{13}C NMR; ^1H NMR; Conjugated linoleic acid 97, 155
- Emulsion**; Phospholipidic vesicles; Triacylglycerols; Solubilization; Non-ionic surfactant 97, 1
- Ethylazinosphos**; Cholesterol; Phase separation; Fluorescent probes 97, 139
- Evening primrose oil**; Cyclic fatty acids; Frying oils; γ -linolenic acid; Gas chromatography; High-performance liquid chromatography; Mass spectrometry; Silver ion chromatography 97, 105
- Flavonols**; Antioxidant; Liposomes; Myricetin; Quercetin 97, 79
- Fluorescent probes**; Ethylazinosphos; Cholesterol; Phase separation 97, 139
- Free radicals**; *N*-acylethanolamines; Lipid peroxidation; Hypoxia; Chemiluminescence 97, 49

- Frying oils;** Cyclic fatty acids; Evening primrose oil; γ -linolenic acid; Gas chromatography; High-performance liquid chromatography; Mass spectrometry; Silver ion chromatography 97, 105
- Gas chromatography;** Cyclic fatty acids; Evening primrose oil; Frying oils; γ -linolenic acid; High-performance liquid chromatography; Mass spectrometry; Silver ion chromatography 97, 105
- Grazing incidence X-ray diffraction;** Phosphatidylinositol/phosphatidylcholine mixtures; Phase separation; Scanning force microscopy; Brewster angle microscopy 97, 129
- High density lipoproteins;** Apolipoprotein; *cis*-Parinaric acid; Non-radiative energy transfer; Protein-lipid interactions; *trans*-Parinaric acid 97, 65
- High-performance liquid chromatography;** Cyclic fatty acids; Evening primrose oil; Frying oils; γ -linolenic acid; Gas chromatography; Mass spectrometry; Silver ion chromatography 97, 105
- ^1H NMR; ^{13}C NMR; 2D NMR;** Conjugated linoleic acid 97, 155
- Hydrolysis;** Cutinase; Interfacial tension 97, 181
- Hypoxia;** *N*-acylethanolamines; Lipid peroxidation; Chemiluminescence; Free radicals 97, 49
- Infrared spectroscopy;** Cholesteryl linoleate; Dipalmitoylphosphatidylcholine; Phase behaviour 97, 119
- Interfacial tension;** Cutinase; Hydrolysis 97, 181
- Leakage;** Stabilization; PEO-lipid; Polymer; Pore 97, 15
- γ -linolenic acid;** Cyclic fatty acids; Evening primrose oil; Frying oils; Gas chromatography; High-performance liquid chromatography; Mass spectrometry; Silver ion chromatography 97, 105
- Lipid A;** Aggregates; Structure; Membrane; Molecular weight 97, 93
- Lipid peroxidation;** *N*-acylethanolamines; Hypoxia; Chemiluminescence; Free radicals 97, 49
- Liposomes;** Antioxidant; Flavonols; Myricetin; Quercetin 97, 79
- Liquid chromatography-mass spectrometry (LC-MS);** Diacylglycerol; Molecular species; Nicotinate; Particle-beam mass spectrometry 97, 27
- Liquid crystalline phases;** Ubiquinone-10; Monooleoylglycerol; Phase diagram; X-ray diffraction; Swelling behavior 97, 167
- Mass spectrometry;** Cyclic fatty acids; Evening primrose oil; Frying oils; γ -linolenic acid; Gas chromatography; High-performance liquid chromatography; Silver ion chromatography 97, 105
- Mass spectrometry;** *Dichapetalum toxicarium*; 4,4-Dimethyloxazoline 97, 41
- Membrane;** Lipid A; Aggregates; Structure; Molecular weight 97, 93
- 9-Methyl-10-hexadecenoic acid;** Bacteria; *Vibrio alginolyticus*; Synthesis 97, 87
- Molecular species;** Diacylglycerol; Liquid chromatography-mass spectrometry (LC-MS); Nicotinate; Particle-beam mass spectrometry 97, 27
- Molecular weight;** Lipid A; Aggregates; Structure; Membrane 97, 93
- Monooleoylglycerol;** Ubiquinone-10; Phase diagram; X-ray diffraction; Liquid crystalline phases; Swelling behavior 97, 167
- Myricetin;** Antioxidant; Flavonols; Liposomes; Quercetin 97, 79
- N*-acylethanolamines;** Lipid peroxidation; Hypoxia; Chemiluminescence; Free radicals 97, 49
- Nicotinate;** Diacylglycerol; Liquid chromatography-mass spectrometry (LC-MS); Molecular species; Particle-beam mass spectrometry 97, 27
- Non-ionic surfactant;** Emulsion; Phospholipidic vesicles; Triacylglycerols; Solubilization 97, 1
- Non-radiative energy transfer;** Apolipoprotein; *cis*-Parinaric acid; High density lipoproteins; Protein-lipid interactions; *trans*-Parinaric acid 97, 65
- Particle-beam mass spectrometry;** Diacylglycerol; Liquid chromatography-mass spectrometry (LC-MS); Molecular species; Nicotinate 97, 27
- PC;** SR Ca^{2+} -ATPase; PE; Activity; Conformation 97, 55
- PEO-lipid;** Leakage; Stabilization; Polymer; Pore 97, 15
- PE;** SR Ca^{2+} -ATPase; PC; Activity; Conformation 97, 55
- Phase behaviour;** Infrared spectroscopy; Cholesteryl linoleate; Dipalmitoylphosphatidylcholine 97, 119
- Phase diagram;** Ubiquinone-10; Monooleoylglycerol; X-ray diffraction; Liquid crystalline phases; Swelling behavior 97, 167

Phase separation; Ethylazinos; Cholesterol; Fluorescent probes 97, 139

Phase separation; Phosphatidylinositol/phosphatidylcholine mixtures; Grazing incidence X-ray diffraction; Scanning force microscopy; Brewster angle microscopy 97, 129

Phosphatidylinositol/phosphatidylcholine mixtures; Phase separation; Grazing incidence X-ray diffraction; Scanning force microscopy; Brewster angle microscopy 97, 129

Phospholipidic vesicles; Emulsion; Triacylglycerols; Solubilization; Non-ionic surfactant 97, 1

Polymer; Leakage; Stabilization; PEO-lipid; Pore 97, 15

Pore; Leakage; Stabilization; PEO-lipid; Polymer 97, 15

Protein-lipid interactions; Apolipoprotein; *cis*-Parinaric acid; High density lipoproteins; Non-radiative energy transfer; *trans*-Parinaric acid 97, 65

Quercetin; Antioxidant; Flavonols; Liposomes; Myricetin 97, 79

Scanning force microscopy; Phosphatidylinositol/phosphatidylcholine mixtures; Phase separation; Grazing incidence X-ray diffraction; Brewster angle microscopy 97, 129

Silver ion chromatography; Cyclic fatty acids; Evening primrose oil; Frying oils; γ -linolenic acid; Gas chromatography; High-performance liquid chromatography; Mass spectrometry 97, 105

Solubilization; Emulsion; Phospholipidic vesicles; Triacylglycerols; Non-ionic surfactant 97, 1

SR Ca^{2+} -ATPase; PC; PE; Activity; Conformation 97, 55

Stabilization; Leakage; PEO-lipid; Polymer; Pore 97, 15

Structure; Lipid A; Aggregates; Membrane; Molecular weight 97, 93

Swelling behavior; Ubiquinone-10; Monooleoylglycerol; Phase diagram; X-ray diffraction; Liquid crystalline phases 97, 167

Synthesis; Bacteria; 9-Methyl-10-hexadecenoic acid; *Vibrio alginolyticus* 97, 87

***trans*-Parinaric acid;** Apolipoprotein; *cis*-Parinaric acid; High density lipoproteins; Non-radiative energy transfer; Protein-lipid interactions 97, 65

Triacylglycerols; Emulsion; Phospholipidic vesicles; Solubilization; Non-ionic surfactant 97, 1

Ubiquinone-10; Monooleoylglycerol; Phase diagram; X-ray diffraction; Liquid crystalline phases; Swelling behavior 97, 167

***Vibrio alginolyticus*;** Bacteria; 9-Methyl-10-hexadecenoic acid; Synthesis 97, 87

X-ray diffraction; Ubiquinone-10; Monooleoylglycerol; Phase diagram; Liquid crystalline phases; Swelling behavior 97, 167



UMI

SHOULD READ 1998-1999